

D C B A

8 8

7 7

6 6

5 5

4 4

3 3

2 2

1 1

PP 35 S

87.5

31.5

70

7

φ44

12°

72.7

84.3

FILL LINE

99

17

φ176,4±2

345.2±2.5

175.2

53.2

8

6

TRADE MARKS

500cl



6


13

16

180°

φ152.55




other dimensions and information as OWENS sheetsGS-217



NAME	DATE	REVISIONS	MOLD NO.			A3	DRUJBA Glassworks S.A. A Member of Yioula Group	
			FINISH	FIN 046			BOTTLE	
			CAP. BRIMF.	5060±50ml	MACHINE	IS SG	500cl DEMIJHON	
			CAP. FILLPT.	5000±50ml	DATE	19/10/2005	CAT.No & DWG No	
			FILL LINE	70mm	DRAWN	Angelov	1768046	
			WEIGHT	1460±20 gr	CHECKED		SHEET: 1/1 SCALE: 1:1	
			COLOR		CONFIRMED			

D C B A

1 1






FRENCH PALLET 1200x1000x144

	Bottle (ID)	Bottle (OD)	UnitLoad (Incl. Pal)
Ln:	176.40 mm	176.40 mm	1200 mm
Wd:	176.40 mm	176.40 mm	1000 mm
Ht:	345.20 mm	345.20 mm	1535 mm
Net:		1300.00 g	187.200 kg
Grs:		0.00 g	20.000 kg
Cube:	7.406 l	7.4 l	1.8418 m3

Bottle: 144
 Area Efficiency: 93.35 %
 Cubic Efficiency: 61.04 %
 Cases per layer: 36
 Layers/load: 4
 Pattern: Staggered

Notes: THE WOODEN PALLET IN USE IS SPECIALLY FUMIGATED



FRENCH PALLET 1200x1000x144

	Bottle (ID)	Bottle (OD)	UnitLoad (Incl. Pal)
Ln:	176.40 mm	176.40 mm	1200 mm
Wd:	176.40 mm	176.40 mm	1000 mm
Ht:	345.20 mm	345.20 mm	1189 mm
Net:		1300.00 g	140.400 kg
Grs:		0.00 g	20.000 kg
Cube:	7.406 l	7.4 l	1.4264 m3

Bottle: 108
 Area Efficiency: 93.35 %
 Cubic Efficiency: 63.12 %
 Cases per layer: 36
 Layers/load: 3
 Pattern: Staggered

Notes: THE WOODEN PALLET IN USE IS SPECIALLY FUMIGATED